















5100 5600

Reflex Shower-toilet chair

Reflex, the all-round toilet and shower solution for disabled persons.











## 5100 5600 Reflex Shower-toilet chair

- Electrically operated height-adjustable settings (variable).
- · Electrically operated tilt mechanism.
- Easy-to-use touch controls on backrest.
- · Height-adjustable headrest.
- · Ergonomically designed backrest and seat.
- · Height-adjustable legrest and calf protection.
- · Foldable swivel armrests with front locking.
- · Suitable for use in the shower and toilet.
- · Can be moved into position over toilet.
- · Slide for stainless steel commode pan.
- · Four plastic castors with brakes.
- · Easy to recharge with battery charger provided.
- · Option: Also available with Handcontrol.



**Option:** 5100 5605 Reflex with Flexo footrests.















## The Reflex Shower-Toiletchair incorporates many features and options



Detachable and height-adjustable legrest and calf protection.







Foldable footrests.



Foldable armrests with front locking (operating independently from each other).



Over-toilet seat.



Slide for commode pan.



Emergency lowering device.



Four double-brake castors.



## **Control** panel



Height-adjustable headrest.



Rechargeable with adapter.



Easy-to-use touch controls on both sides of backrest.



Emergency stop.



Easy-to-use touch controls on backrest (with pictograms).



Concave headrest.



The headrests include simple height and depth-adjustable settings.



Bedpan 6950 1104.



6950 5624 Optional: Platilon Seat and removable Platilon Backrest.



6950 5629 Optional: Platilon Seat.





## **Technical specifications**

· Maximum lifting capacity: 135 kg 49 - 101 cm · Adjustable sitting height: Backrest: 95 - 145 cm · Seat depth: 48,5 cm · Seat width: 48 cm · Overall length basic frame: 88 cm · Overall width basic frame: 66 cm · Adjustability of leg rests:

from 2,5 cm to 25 cm · Adjustable headrest: 7 depth / 12 height cm

· Variable backrest adjustment: 30 degrees · Weight (unoccupied): 55 kg · Electric controls: 24 Volt · Battery capacity: 7Ah

· Number of lifting actions: 40 up-down movements with fully charged batteries

· Battery charger: 220 Volt/50/60 Hz







